

Claim Amendments

Please enter the following amended claims in the application. The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims

1-2. (Cancelled)

3. (Currently Amended) A fatty acid ester mixture of pentaerythritol, a pentaerythritol oligomer, or mixtures thereof, wherein the fatty acid ~~component~~ is a mixture containing from about 40% to about 50% by weight of a C₁₆ fatty acid and from about 45% to about 55% by weight of a C₁₈ fatty acid, and wherein the ester contains less than 0.3% by weight C₁₇ fatty acid-containing component ~~acyl-groups~~ and has a melting point of at least 30°C.

4. (Currently amended) A fatty acid ester mixture of pentaerythritol, a pentaerythritol oligomer, or mixtures thereof, wherein the fatty acid ~~component~~ has 6 to 22 carbon atoms, and wherein the ester contains less than 0.3% by weight C₁₇ fatty acid-containing component ~~acyl-groups~~ and has a melting point of at least 30°C, with a percentage content of (a) from about 10% to about 25% by weight monoesters, (b) from about 25% to about 40% by weight diesters, and (c) from about 30% to about 45% by weight triesters.

5. (Currently amended) A fatty acid ester mixture of pentaerythritol, a pentaerythritol oligomer, or mixtures thereof, wherein the fatty acid ~~component~~ has 6 to 22 carbon atoms, and wherein the ester contains less than 0.3% by weight C₁₇ fatty acid-containing component ~~acyl-groups~~ and has a melting point of at least 30°C, with a percentage content of (a) from about 12% to about 19% by weight monoesters, (b) from

about 25% to about 35% by weight diesters, (c) from about 30% to about 40% by weight triesters, and (d) from about 6 to about 11% by weight tetraesters.

6-10. (Cancelled)

11. (Currently amended) A cosmetic and/or pharmaceutical composition comprising an ester formed by esterification of pentaerythritol, a pentaerythritol oligomer, or mixtures thereof with C₆₋₂₂ fatty acids, wherein the ester contains less than 0.3% by weight C₁₇ fatty acid containing component ~~acyl groups~~ and has a melting point of at least 30°C.

12. (Previously Presented) The composition according to Claim 11, wherein the ester comprises (a) from about 5 to about 35% by weight monoesters, (b) from about 20 to about 50% by weight diesters, and (c) from about 25 to about 50% by weight triesters.

13. (Previously Presented) The composition according to Claim 11, wherein the C₆₋₂₂ fatty acid is present as a mixture and comprises from about 40% to about 50% by weight of a C₁₆ fatty acid and from about 45% to about 55% by weight of a C₁₈ fatty acid.

14. (Previously Presented) The cosmetic composition according to Claim 11, wherein the ester is present in a quantity of from about 0.1% to about 20% by weight.

15. (Previously Presented) The cosmetic composition according to Claim 11, further comprising a wax component.

16. (Previously Presented) The cosmetic composition according to Claim 15, wherein the wax component is selected from the group consisting of C₁₂₋₂₄ fatty alcohols and C₁₂₋₂₄ partial glycerides.

17. (Previously Presented) The cosmetic composition according to Claim 11, further comprising at least one nonionic surfactant.

18. (Previously Presented) The cosmetic composition according to Claim 17, wherein the nonionic surfactant is selected from the group consisting of alkyl and alkenyl oligoglycosides.

19. (Previously Presented) The cosmetic composition according to Claim 11, further comprising at least one oil component which is liquid at 25°C.

20. (Previously Presented) The cosmetic composition according to Claim 11, comprising:

- (a) from about 0.1% to about 10% by weight of the ester;
- (b) from about 1% to about 25% by weight of at least one oil component which is liquid at 25°C;
- (c) from about 0.1% to about 5% by weight of a C₁₂₋₂₄ fatty alcohol, a C₁₂₋₁₄ partial glyceride, and mixtures thereof;
- (d) from about 0.5% to about 10% by weight of a C₈₋₂₄ alkyl oligoglucoside; and
- (e) water.

21. (New) A fatty acid ester mixture of pentaerythritol, wherein the fatty acid contains 6 to 22 carbon atoms, and wherein said ester mixture contains less than 0.3% by weight of C₁₇ fatty acid-containing component, and has a melting point of at least 30°C.